
GB

Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 30.04.2019

Revision: 25.03.2019

Trade name: Cavex ScanSpray

		(Contd. of page 1)
H412	Harmful to aquatic life with long lasting effects.	
• Precautio	onary statements	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read label before use.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition source	es. No smoking.
P301+P3	310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P331	Do NOT induce vomiting.	
P405	Store locked up.	
P410+P4	412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
P501	Dispose of contents/container in accordance with local/regional/national	ul/international
	regulations.	
• Other ha	izards	
· Results o	of PBT and vPvB assessment	
· PBT: Not	t applicable.	
	. 1. 11	

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous componen	its:	
EINECS: 203-692-4	oentane Flam. Liq. 2, H225;	7-15%
1	propane 🌮 Flam. Gas 1, H220; Press. Gas C, H280	2.5-10%
	sobutane 🚯 Flam. Gas 1, H220; Press. Gas C, H280	2.5-7.5%
	🕸 Flam. Gas 1, H220; Press. Gas C, H280	2.5-7.5%
CAS: 64-17-5 EINECS: 200-578-6	🚯 Flam. Liq. 2, H225	<i>≤</i> 2.5%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- *After skin contact: Generally the product does not irritate the skin.*
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

(Contd. on page 3)

[•] After inhalation:

Printing date 30.04.2019

Revision: 25.03.2019

Trade name: Cavex ScanSpray

(Contd. of page 2)

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- *Reference to other sections* See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*
- · Information about fire and explosion protection:
- Do not spray onto a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

• Ingredients with	limit values that	require monitoring	at the workplace:

109-66-0 pentane

WEL Long-term value: 1800 mg/m³, 600 ppm

106-97-8 butane

WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

(Contd. on page 4)

GB

Printing date 30.04.2019

Revision: 25.03.2019

Trade name: Cavex ScanSpray

(Contd. c	page 3
-----------	--------

64-17-5 ethanol WEL Long-term value: 1920 mg/m³, 1000 ppm

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- *Respiratory protection:*

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection:* Not required.

Information on basic physical and chem General Information	ical properties
Appearance:	
Form:	Aerosol
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	36.1 °C
Flash point:	-97 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	285 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
Explosion limits:	
Lower:	1.4 Vol %
Upper:	7.8 Vol %

Printing date 30.04.2019

Revision: 25.03.2019

Trade name: Cavex ScanSpray

		(Contd. of page 4)
· Vapour pressure:	2,700 hPa	
· Density at 20 °C:	$\sim 2.23854 \text{ g/cm}^3$	
· Relative density	Not determined.	
· Vapour density	Not determined.	
• Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	33.0 %	
VÕC (EC)	40.00 %	
Solids content:	60.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- Harmful if inhaled.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard

May be fatal if swallowed and enters airways.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

GB

Printing date 30.04.2019

Revision: 25.03.2019

Trade name: Cavex ScanSpray

	(Contd. of page 5)
Behaviour in environmental systems:	
Bioaccumulative potential No further relevant information available.	
Mobility in soil No further relevant information available.	
Ecotoxical effects:	
Remark: Harmful to fish	
Additional ecological information:	
General notes:	
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water	
Do not allow product to reach ground water, water course or sewage system.	
Danger to drinking water if even small quantities leak into the ground.	
Harmful to aquatic organisms	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
Other adverse effects No further relevant information available.	

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN-Number ADR, IMDG, IATA	UN1950	
UN proper shipping name		
ADR	1950 AEROSOLS	
IMDG IATA	AEROSOLS AEROSOLS, flammable	
	ALKOSOLS, Jummuole	
Transport hazard class(es)		
ADR		
Class	2 5F Gases.	
Label	2.1	
IMDG, IATA		
Class	2.1	
Label	2.1	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	

GB

Printing date 30.04.2019

Revision: 25.03.2019

Trade name: Cavex ScanSpray

	(Contd. of page 6
Danger code (Kemler):	_
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
C C	SW2 Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1
	litre:
	Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class
	2
	<i>For WASTE AEROSOLS:</i>
	Segregation as for the appropriate subdivision of class
	2.
Transport in bulk according to Annex II and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	lL
Encorted an antition (EQ)	
Excepted quantities (EQ)	Code: E0
Excepted quantities (EQ)	<i>Code: E0</i> <i>Not permitted as Excepted Quantity</i>
Transport category	2000. 20
Excepted quantities (EQ) Transport category Tunnel restriction code	Not permitted as Excepted Quantity
Transport category	Not permitted as Excepted Quantity 2
Transport category Tunnel restriction code	Not permitted as Excepted Quantity 2
Transport category Tunnel restriction code IMDG	Not permitted as Excepted Quantity 2 D
Transport category Tunnel restriction code IMDG Limited quantities (LQ)	Not permitted as Excepted Quantity 2 D 1L

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H304 May be fatal if swallowed and enters airways.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department

(Contd. on page 8)

GB

Printing date 30.04.2019

Revision: 25.03.2019

Trade name: Cavex ScanSpray

	(Contd. of page 7)
Contact: .	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concernin Carriage of Dangerous Goods by Road)	ng the International
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
1	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Gas 1: Flammable gases – Category 1	
Aerosol 1: Aerosols – Category 1	
Press. Gas C: Gases under pressure – Compressed gas	
Flam, Liq. 2: Flammable liquids – Category 2	
Acute Tox. 4: Acute toxicity – Category 4	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Asp. Tox. 1: Aspiration hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
ing to many and the argume of the office of the argume of the office of the argume of	GE