

Printing date 09.04.2021 Version number 1 Revision: 09.04.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: GC Initial IQ-LP ONE/Enamel Effect, Lustre Paste, Lustre Body
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC EUROPE N.V.
Interleuvenlaan 33
B-3001 Leuven
Tel. +32/(0)16/74.10.00
Fax +32/(0)16/40.26.84

- msds@gc.dental
- Further information obtainable from: Regulatory affairs 1.4 Emergency telephone number:

National poison center for United Kingdom of Great Britain and Northern Ireland:

Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383

Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180

Penarth: +44 292 071 55 54

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

Repr. 1B H360FD May damage fertility. May damage the unborn child.

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms



· Signal word Danger

(Contd. on page 2)

Printing date 09.04.2021 Version number 1 Revision: 09.04.2021

Trade name: GC Initial IQ-LP ONE/ Enamel Effect, Lustre Paste, Lustre Body

(Contd. of page 1)

· Hazard-determining components of labelling:

Cristobalite

diboron trioxide

· Hazard statements

H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:		
CAS: 14464-46-1 EINECS: 238-455-4	Cristobalite STOT RE 1, H372	25-<50%
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol substance with a Community workplace exposure limit	10-<25%
CAS: 1303-86-2 EINECS: 215-125-8 Index number: 005-008-00-	diboron trioxide Repr. IB, H360FD 8	5-<10%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide substance with a Community workplace exposure limit	0.5-<1%

·SVHC

1303-86-2 diboron trioxide

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

(Contd. on page 3)

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date 09.04.2021 Version number 1 Revision: 09.04.2021

Trade name: GC Initial IQ-LP ONE/ Enamel Effect, Lustre Paste, Lustre Body

(Contd. of page 2)

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Avoid contact with the eyes and skin.
- Information about fire and explosion protection: No special measures required.

(Contd. on page 4)

Printing date 09.04.2021 Version number 1 Revision: 09.04.2021

Trade name: GC Initial IQ-LP ONE/ Enamel Effect, Lustre Paste, Lustre Body

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage.
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that r	eauire monitoring	at the workplace:
--	-------------------	-------------------

14464-46-1 Cristobalite

WEL Long-term value: 0.1* mg/m³

*repirable dust

57-55-6 Propylene glycol

WEL Long-term value: 474* 10** mg/m³, 150* ppm

*total vapour and particulates **particulates

13463-67-7 titanium dioxide

WEL Long-term value: 10* 4** mg/m³

*total inhalable **respirable

· DNELs

13463-67-7 titanium dioxide

Inhalative DNEL inhalation 10 mg/m3 (man)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.


(Contd. on page 5)

Printing date 09.04.2021 Version number 1 Revision: 09.04.2021

Trade name: GC Initial IQ-LP ONE/ Enamel Effect, Lustre Paste, Lustre Body

(Contd. of page 4)

· Eye protection:



Odour threshold: PH-value: Not determined. Change in condition Melting point/freezing point: Initial boiling point and boiling range: 60 °C Flash point: Flammability (solid, gas): Not applicable. Ignition temperature: Undetermined. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: 12.6 Vol % Upper: Not determined. Possity: Not determined. Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Not determined.	C 1 I C	chemical properties
Form: Colour: According to product specification Odour: Characteristic Odour threshold: Not determined. PH-value: Not determined. Change in condition Melting point/freezing point: Initial boiling point and boiling range: 60 °C Flash point: Initial boiling spoint and boiling range: 60 °C Flammability (solid, gas): Not applicable. Ignition temperature: Undetermined. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: 12.6 Vol % Upper: 12.6 Vol % Upper: Not determined. Density: Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Insoluble.		•
Colour: Odour Characteristic Not determined. PH-value: Not determined. Change in condition Melting point and boiling range: 60 °C Flash point: >100 °C Flammability (solid, gas): Not applicable. Ignition temperature: Undetermined. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: 2.6 Vol % Upper: 12.6 Vol % Vapour pressure: Not determined. Density: Not determined. Relative density Not determined. Relative density Not determined. Solubility in / Miscibility with water: Insoluble.	**	
Odour threshold: Odour threshold: Not determined. PH-value: Not determined. Change in condition Melting point/freezing point: Initial boiling point and boiling range: 60 °C Flash point: >100 °C Flammability (solid, gas): Not applicable. Ignition temperature: Undetermined. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: 12.6 Vol % Vapour pressure: Not determined. 2.56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Not determined. Not determined. Solubility in / Miscibility with water: Insoluble.		
Odour threshold: pH-value: Not determined. Change in condition Melting point/freezing point: Initial boiling point and boiling range: 60 °C Flash point: >100 °C Flammability (solid, gas): Not applicable. Ignition temperature: Undetermined. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: 12.6 Vol % Upper: Not determined. Density: Not determined. Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Not determined. Solubility in / Miscibility with water: Insoluble.		9 1 1
PH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: 60 °C Flash point: Flash point: Vot applicable. Ignition temperature: Undetermined. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: 12.6 Vol % Upper: Not determined. Density: Not determined. 2.56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Not determined. Not determined. Vapour density Not determined. Not determined. Not determined. Not determined. Vapour density Not determined.		
Melting point/freezing point: Initial boiling point and boiling range: 60 °C Flash point:		
Melting point/freezing point: Initial boiling point and boiling range: 60 °C Flash point:	Change in condition	
Flash point: >100 °C Flammability (solid, gas): Not applicable. Ignition temperature: Undetermined. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: 2.6 Vol % Upper: 12.6 Vol % Vapour pressure: Not determined. Density: Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Insoluble.		Undetermined.
Flammability (solid, gas): Not applicable. Ignition temperature: Undetermined. Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: 12.6 Vol % Upper: Not determined. Not determined. Density: Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined.	Initial boiling point and boiling range	e: 60 °C
Ignition temperature: Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: 12.6 Vol % Upper: Not determined. Density: Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Insoluble.	Flash point:	>100 °C
Decomposition temperature: Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: 12.6 Vol % Upper: 12.6 Vol % Vapour pressure: Not determined. Density: Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Not determined. Not determined. Solubility in / Miscibility with water: Insoluble.	Flammability (solid, gas):	Not applicable.
Auto-ignition temperature: Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: 12.6 Vol % Vapour pressure: Not determined. Density: Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Not determined. Not determined. Solubility in / Miscibility with water: Insoluble.	Ignition temperature:	Undetermined.
Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: 12.6 Vol % Vapour pressure: Not determined. Density: Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Not determined. Not determined. Solubility in / Miscibility with water: Insoluble.	Decomposition temperature:	Not determined.
Explosion limits: Lower: Upper: 2.6 Vol % Vapour pressure: Not determined. Density: Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Insoluble.	Auto-ignition temperature:	Product is not selfigniting.
Lower: 2.6 Vol % Upper: 12.6 Vol % Vapour pressure: Not determined. Density: Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Insoluble.	Explosive properties:	Product does not present an explosion hazard.
Upper: 12.6 Vol % Vapour pressure: Not determined. Density: Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Insoluble.		
Vapour pressure: Not determined. Density: Not determined. 2,56 g/cm³ 1,18g/ml Not determined. Vapour density Not determined. Vapour density Not determined. Not determined. Solubility in / Miscibility with water: Insoluble.		
Density: Not determined. 2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Insoluble.	Upper:	12.6 Vol %
2,56 g/cm³ 1,18g/ml Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with under: Insoluble.	Vapour pressure:	Not determined.
I,18g/ml Not determined. Vapour density Not determined. Evaporation rate Not determined. Not determined. Not determined. Insoluble.	Density:	
Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with under: Insoluble.		
Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Insoluble.		
Evaporation rate Not determined. Solubility in / Miscibility with under: Insoluble.		
Solubility in / Miscibility with water: Insoluble.		
water: Insoluble.		ivoi ueiermineu.
		Incolubia
Partition coefficient: n-octanol/water: Not determined.		
		Not determined.
Viscosity:		Net determined
Dynamic: Not determined. Kinematic: Not determined.	•	

Printing date 09.04.2021 Version number 1 Revision: 09.04.2021

Trade name: GC Initial IQ-LP ONE/ Enamel Effect, Lustre Paste, Lustre Body

(Contd. of page 5)

VOC (EC) $\geq 200.0 \text{ g/l}$

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values rele	vant for classification:
13463-67-	7 titanium	dioxide
Oral	LD50	>5,000 mg/kg (mouse) (OECD 420)
Inhalative	LC50/4 h	>6.82 mg/l (rat male)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Repeated dose toxicity No further relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

May damage fertility. May damage the unborn child.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

Printing date 09.04.2021 Version number 1 Revision: 09.04.2021

Trade name: GC Initial IQ-LP ONE/ Enamel Effect, Lustre Paste, Lustre Body

(Contd. of page 6)

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informa	
14.1 UN-Number ADR, IMDG, IATA	not regulated
14.2 UN proper shipping name ADR	1760 CORROSIVE LIQUID, N.O.S. (POTASSIU MONOXIDE, cerium trifluoride)
IMDG, IATA	not regulated
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	not regulated
14.4 Packing group ADR, IMDG, IATA	not regulated
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Stowage Code	Not applicable. SW2 Clear of living quarters.
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR Excepted quantities (EQ)	Code: E2
Excepted qualities (22)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<i>IMDG</i>	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Printing date 09.04.2021 Version number 1 Revision: 09.04.2021

Trade name: GC Initial IQ-LP ONE/ Enamel Effect, Lustre Paste, Lustre Body

(Contd. of page 7)

· UN "Model Regulation":

UN 1760 CORROSIVE LIQUID, N.O.S. (POTASSIUM

MONOXIDE, CERIUM TRIFLUORIDE), 8, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

1303-86-2 diboron trioxide

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Repr. 1B: Reproductive toxicity – Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

- · Sources
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- * Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or

(Contd. on page 9)

Printing date 09.04.2021 Version number 1 Revision: 09.04.2021

Trade name: GC Initial IQ-LP ONE/ Enamel Effect, Lustre Paste, Lustre Body

(Contd. of page 8)

limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

GB .