

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.08.2018

*

Version number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Revision: 02.05.2018

| 1.1 Product identifier | |
|--|-----------------|
| Trade name: <u>GC Optiglaze</u> 1.2 Relevant identified uses of the substance or mixture and uses advised again | est |
| <i>No further relevant information available.</i> <i>Application of the substance / the mixture</i> Auxillary for dental technology | |
| | |
| 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental | |
| Further information obtainable from: Regulatory affairs | |
| 1.4 Emergency telephone number: | |
| National poison center for United Kingdom of Great Britain and Northern Irelan Belfast: +44 28 90 63 2032 | nd: |
| Bergasi: +44 28 90 05 2052 Birmingham: +44 121 507 4123 | |
| Edinburgh: +44 131 242 1383 | |
| <i>Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180</i> <i>Penarth: +44 292 071 55 54</i> | |
| | |
| SECTION 2: Hazards identification | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008Flam. Liq. 2H225Highly flammable liquid and vapour.Skin Irrit. 2H315Causes skin irritation.Skin Sens. 1H317May cause an allergic skin reaction.Repr. 2H361fSuspected of damaging fertility. | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008Flam. Liq. 2H225Highly flammable liquid and vapour.Skin Irrit. 2H315Causes skin irritation.Skin Sens. 1H317May cause an allergic skin reaction.Repr. 2H361fSuspected of damaging fertility.STOT SE 3H335May cause respiratory irritation. | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008Flam. Liq. 2H225Highly flammable liquid and vapour.Skin Irrit. 2H315Causes skin irritation.Skin Sens. 1H317May cause an allergic skin reaction.Repr. 2H361fSuspected of damaging fertility.STOT SE 3H335May cause respiratory irritation.2.2 Label elements | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008Flam. Liq. 2H225Highly flammable liquid and vapour.Skin Irrit. 2H315Causes skin irritation.Skin Sens. 1H317May cause an allergic skin reaction.Repr. 2H361fSuspected of damaging fertility.STOT SE 3H335May cause respiratory irritation.2.2 Label elements | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 2 H361f Suspected of damaging fertility. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 2 H361f Suspected of damaging fertility. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 2 H361f Suspected of damaging fertility. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 2 H361f Suspected of damaging fertility. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 2 H361f Suspected of damaging fertility. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 2 H361f Suspected of damaging fertility. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms With Store GHS02 GHS07 GHS08 | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 2 H361f Suspected of damaging fertility. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms $\overbrace{QU}{Q}$ $\overbrace{QHS07}{QHS08}$ Signal word Danger Hazard-determining components of labelling: | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 2 H361f Suspected of damaging fertility. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms $\overbrace{QOV}^{OV}_{OV}$ $\overbrace{QHS07}^{OV}_{OHS08}$ Signal word Danger Hazard-determining components of labelling: Methyl methacrylate | |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 2 H361f Suspected of damaging fertility. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms ightarrow GHS07 GHS08 Signal word Danger Hazard-determining components of labelling: | (Contd. on page |

Printing date 02.08.2018

Version number 3

Revision: 02.05.2018

Trade name: GC Optiglaze

| | (Contd. of page 1) |
|-------------------|---|
| • Hazard stateme | nts |
| H225 Highly fla | ammable liquid and vapour. |
| H315 Causes sl | kin irritation. |
| H317 May caus | se an allergic skin reaction. |
| | d of damaging fertility. |
| • • | se respiratory irritation. |
| · Precautionary s | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P280 | Wear protective gloves / eye protection / face protection. |
| P303+P361+P3 | 353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water |
| D200 - D212 | [or shower]. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P321 | Specific treatment (see on this label). |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| · 2.3 Other hazar | ds |
| · Results of PBT | and vPvB assessment |
| | |

• **PBT:** Not applicable.

• **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

| · Dangerous components: | | |
|-----------------------------|--|---------|
| CAS: 80-62-6 | Methyl methacrylate | 25-<50% |
| EINECS: 201-297-1 | Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE | |
| Index number: 607-035-00-6 | 3, H335 | |
| CAS: 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | ≥3-<5% |
| EINECS: 278-355-8 | Repr. 2, H361f | |
| Index number: 015-203-00-X | | |
| Additional information, For | the wording of the listed hazard phrases refer to section 16 | |

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

- If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

(Contd. on page 3)

GB

Printing date 02.08.2018

Version number 3

Revision: 02.05.2018

(Contd. of page 2)

Trade name: GC Optiglaze

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist consult doctor.

• After swallowing: Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources. Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.

• **6.3 Methods and material for containment and cleaning up:** Ensure adequate ventilation. Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

(Contd. on page 4)

GB

Printing date 02.08.2018

Version number 3

Revision: 02.05.2018

(Contd. of page 3)

Trade name: GC Optiglaze

Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location. Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

- Protect from neat and direct s
- Store in a cool place.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

| · Ingredients | with limit va | lues that requir | e monitoring | at the workplace: |
|---------------|---------------|------------------|--------------|-------------------|
| 0 | | 1 | 0 | 1 |

80-62-6 Methyl methacrylate

WEL Short-term value: 416 mg/m³, 100 ppm

Long-term value: 208 mg/m³, 50 ppm

· DNELs

80-62-6 Methyl methacrylate

Dermal DNEL dermal 13.67 mg/kg bw/day (man) (worker, l. te., syst.)

- Inhalative DNEL inhalation 208 mg/m3 (air) (worker, l. te., syst.)
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

GB

Printing date 02.08.2018

Version number 3

Revision: 02.05.2018

Trade name: GC Optiglaze

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

| 9.1 Information on basic physical and c | hemical properties | |
|---|---|--|
| General Information | | |
| Appearance: | | |
| Form: | Fluid | |
| Colour: | According to product specification | |
| Odour: | Characteristic | |
| Odour threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Change in condition | | |
| Melting point/freezing point: | Undetermined. | |
| Initial boiling point and boiling range | :: 101 °C | |
| Flash point: | 10 °C | |
| Flammability (solid, gas): | Not applicable. | |
| Ignition temperature: | Undetermined. | |
| Decomposition temperature: | Not determined. | |
| Auto-ignition temperature: | Product is not selfigniting. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapour pressure: | Not determined. | |
| Density: | Not determined. | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| water: | Insoluble. | |
| Partition coefficient: n-octanol/water: | Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |

Printing date 02.08.2018

Version number 3

Revision: 02.05.2018

(Contd. of page 5)

Trade name: GC Optiglaze

• Solvent content: VOC (EC)

• 9.2 Other information

0.0 g/l No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

 \cdot Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

| 80-62-6 Methyl methacrylate | | |
|-----------------------------|----------|--|
| | LD50 | 6000 mg/kg (rabbit) |
| Dermal | LD50 | >5000 mg/kg (rab) 29.8 mg/l (rat (f+m)) |
| Inhalative | LC50/4 h | 29.8 mg/l (rat (f+m)) |

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

 \cdot Respiratory or skin sensitisation

May cause an allergic skin reaction.

- $\cdot \textit{Repeated dose toxicity No further relevant information available.}$
- *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) No further relevant information available.*
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

Suspected of damaging fertility.

- · STOT-single exposure
- May cause respiratory irritation.
- $\cdot \textit{STOT-repeated exposure Based on available data, the classification criteria are not met.}$
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

[—] GB

Printing date 02.08.2018

Version number 3

Revision: 02.05.2018

(Contd. of page 6)

Trade name: GC Optiglaze

· 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • 12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

| 14.1 UN-Number | |
|---------------------------------------|---|
| ADR, IMDG, IATA | UN1247 |
| 14.2 UN proper shipping name | |
| ADR | 1247 METHYL METHACRYLATE MONOMER, STABILIZEI mixture |
| IMDG, IATA | METHYL METHACRYLATE MONOMER, STABILIZEI mixture |
| 14.3 Transport hazard class(es) | |
| ADR | |
| | |
| Class | 3 (F1) Flammable liquids. |
| Label | 3 |
| IMDG, IATA | |
| | |
| Class | 3 Flammable liquids. |
| Label | 3 |
| 14.4 Packing group ADR, IMDG, IATA | II |

Revision: 02.05.2018

Printing date 02.08.2018

Version number 3

Trade name: GC Optiglaze

| | (Contd. of page |
|---|--|
| 14.5 Environmental hazards: | |
| Marine pollutant: | No |
| 14.6 Special precautions for user | Warning: Flammable liquids. |
| Danger code (Kemler): | 339 |
| EMS Number: | F-E,S-D |
| 14.7 Transport in bulk according to Ann | ex II of |
| Marpol and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| Transport category | 2 |
| Tunnel restriction code | D/E |
| IMDG | |
| Limited quantities (LQ) | lL |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1247 METHYL METHACRYLATE MONOMER |
| - | STABILIZED MIXTURE, 3, II |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H361f Suspected of damaging fertility.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.08.2018

Version number 3

Revision: 02.05.2018

Trade name: GC Optiglaze

(Contd. of page 8) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 *Repr. 2: Reproductive toxicity – Category 2* STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) \cdot * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.