



SAFETY DATA SHEET

page 1/6
CERAMAGE
OXYBARRIER
Printing date: June 27, 2016

SECTION 1. Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
Trade Name:
CERAMAGE "OXYBARRIER"
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
Relevant identified uses: Dental material
Uses advised against: No further data
- 1.3 Details of the supplier of the safety data sheet
Company/Undertaking identification
Manufacturer's Name: SHOFU DENTAL GmbH
Address: Am Brüll 17, 40878 Ratingen, Germany
Phone: +49 (0) 2102-8664-0
Fax: +49 (0) 2102-8664-64
E-Mail: info@shofu.de
Section in Charge: Quality Management & Regulatory Affairs
- 1.4 Emergency Telephone Number
+49-2102-8664-53 (SHOFU DENTAL GmbH) 24 hours / 7 days

SECTION 2. Hazards identification

- 2.1 Classification of the substance or mixture
CLASSIFICATION (EC 1272/2008)
Not applicable.
- 2.2 Label elements
LABEL IN ACCORDANCE WITH (EC) NO.1272/2008
Void
HAZARD-DETERMINING COMPONENTS OF LABELLING
SIGNAL WORD
Void
HAZARD STATEMENTS
Void
PRECAUTIONARY STATEMENTS
Void
- 2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

SECTION 3. Composition/information on ingredients

- 3.1 Chemical characterization: Mixtures
- 3.2 Description: Mixture of substances listed below with nonhazardous additions.
- 3.3 Dangerous components: Void
Glycerin [Cas No. 56-81-5, EINECS 200-289-5] 70-80 %
Polyethylene Glycol [Cas No. 25322-68-3, EINECS 500-038-2]
- 3.4 Additional information: For the wording of the listed risk phrases refer to section 2.

(Contd. on page2)



SAFETY DATA SHEET

page 2/6
CERAMAGE
OXYBARRIER
Printing date: June 27, 2016

(Contd. of page1)

SECTION 4. First-aid measures

- 4.1 Description of first aid measures
- Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present. and easy to do. If eye irritation persists, get medical advice/attention.
- Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get medical advice/attention.
- Ingestion: Rinse mouth. If you feel un-well, get medical advice/attention.
- Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptom concerning breath goes out, call a POISON CENTER or doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.

SECTION 5. Fire-fighting measures

- 5.1 Extinguishing Media:
Water, CO₂, Dry chemical, Foam
- 5.2 Special hazards arising from the substance or mixture:
No further relevant information available.
- 5.3 Advice for firefighters:
Wear fire protective cloth and self-contained breathing apparatus, if necessary.

SECTION 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures:
Not required.
- 6.2 Environmental Precautions:
Send to approved treatment/disposal company or dispose according to local, state and federal regulations.
- 6.3 Methods and material for containment and cleaning up:
Wipe up and discard in a suitable container.
- 6.4 Reference to other section:
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7. Handling and storage

- 7.1 Precautions for safe handling:
Only adequately trained personal should handle this product. For use in dentistry only.
- 7.2 Conditions for safe storage, including any incompatibilities:
Keep away from direct sunlight or heat.
- 7.3 Specific end use(s):
No further relevant information available

(Contd. on page3)



SAFETY DATA SHEET

page 3/6
CERAMAGE
OXYBARRIER
Printing date: June 27, 2016

(Contd. of page2)

SECTION 8. Exposure controls/personal protection

8.1 Control parameters:

Exposure limits	OSHA PEL	ACGIH TLV
Glycerin	15 mg/m ³ (TWA) total 5 mg/m ³ (TWA) resp	10 mg/m ³ (TWA)

8.2 Exposure controls:

Respiratory Protection:

Not required.

Skin Protection:

Hand Protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR
Nitrile rubber, NBR

Eye Protection: Safety goggles

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance/Odor/Colour:	Blue colored paste
Odour threshold	Not determined.
pH	Not determined.
Melting point/freezing point	Not determined.
Boiling Point:	Not determined.
Flash point:	Not determined.
Evaporation rate	Not determined.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative Density:	1.25 (water=1)

(Contd. on page4)



SAFETY DATA SHEET

page 4/6
CERAMAGE
OXYBARRIER
Printing date: June 27, 2016

(Contd. of page3)

Solubility: water solubility	Soluble
Partition coefficient: n-octanol/water	Not determined.
Auto-ignition temperature	Not determined.
Decomposition temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.
9.2 Other information	
No further relevant information available.	

SECTION 10. Stability and reactivity

- 10.1 Reactivity:
No further relevant information available.
- 10.2 Chemical stability:
Stable under normal temperatures and pressures.
- 10.3 Possibility of hazardous reactions:
No dangerous reactions known.
- 10.4 Condition to Avoid:
Avoid exposure to direct sun light on the container.
- 10.5 Hazardous Decomposition Products:
None under normal conditions of storage and use.

SECTION 11. Toxicological information

- 11.1 Information on toxicological effects:
- | | | | | |
|----------------------|----------------------|--------|------|-----------------------------|
| Acute toxicity: | Glycerin; Inhalation | rat | LC50 | > 570 mg/m ³ /1H |
| | | mouse | LD50 | 4090 mg/kg |
| | Dermal | rat | LD50 | 12600 mg/kg |
| | | rabbit | LD50 | > 10g/kg |
| Polyethylene Glycol; | Oral | mouse | LD50 | 29 g/kg |
| | | rat | LD50 | 30200 mg/kg |
| | Dermal | rabbit | LD50 | 26800 mg/kg |
| | | rabbit | LD50 | > 20 g/kg |
- Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- Eye damage/irritation: Based on available data, the classification criteria are not met.
- Sensitization to the respiratory tract:
Based on available data, the classification criteria are not met.
- Skin sensitization: Based on available data, the classification criteria are not met.
- Germ cell mutagenicity/Genotoxicity:
Based on available data, the classification criteria are not met.
- Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- Effects on or via lactation: Lack of data.
- Specific target organ toxicity (single exposure):

(Contd. on page5)



SAFETY DATA SHEET

page 5/6
CERAMAGE
OXYBARRIER
Printing date: June 27, 2016

(Contd. of page4)

Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure):
Based on available data, the classification criteria are not met.
Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12. Ecological information

- 12.1 Toxicity:
No further relevant information available.
- 12.2 Persistence and degradability:
No further relevant information available.
- 12.3 Bioaccumulative potential:
No further relevant information available.
- 12.4 Mobility in soil:
No further relevant information available.
- 12.5 Results of PBT and vPvB assessment:
Not applicable.
- 12.6 Other adverse effects:
No further relevant information available.

SECTION 13. Disposal considerations

- 13.1 Waste treatment methods:
Dispose of contents/container to in accordance with local/regional/national/international regulations.

SECTION 14. Transport information

- 14.1 UN number: Void
- 14.2 UN proper shipping name: Void
- 14.3 Transport hazard class(es): Void
- 14.4 Packing group: Void
- 14.5 Environmental hazards: No further relevant information available.
- 14.6 Special precautions for user: Not applicable.
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:
Not applicable.

SECTION 15. Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:
- EU REGULATIONS: See Section 2
 - Other regulations, limitations and prohibitive regulations:
The product is a medical device according to the EC-directive 93/42/EEC.
- 15.2 Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

SECTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)

(Contd. on page6)



SAFETY DATA SHEET

page 6/6
CERAMAGE
OXYBARRIER
Printing date: June 27, 2016

(Contd. of page5)

Abbreviations and acronyms:

EINESC: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Version Number 4

Revision date: June 2, 2016