

SECTIO	ON 1. Identification of the substance/mixture and of the company/undertaking				
1.1	Product identifier				
	Trade Name:				
	CERAMAGE "SEP"				
1.2	Relevant identified uses of the substance or mixture and uses advised against				
	Relevant identified uses: Dental material				
	Uses advised against: No further data				
1.3	Details of the supplier of the safety date sheet				
	Company/Undertaking identification				
	Manufacturer's Name: SHOFU DENTAL GmbH				
	Address: Am Brüll 17, 40878 Ratingen, Germany				
	Phone: +49 (0) 2102-8664-0				
	Fax: +49 (0) 2102-8664-64				
	E-Mail: info@shofu.de				
	Section in Charge: Quality Management & Regulatory Affairs				
1.4					
	+49-2102-8664-53 (SHOFU DENTAL GmbH) 24 hours / 7 days				
SECTIO	ON 2. Hazards identification				
2.1	Classification of the substance or mixture				
	CLASSIFICATION (EC 1272/2008)				
	Flam.liq. 2 H225 Highly flammable liquid and vapour.				
	Eye Irrit. 2 H319 Causes serious eye irritation.				
2.2	Label elements				
	LABEL IN ACCORDANCE WITH (EC) NO.1272/2008				
	GHS02 GHS07				
l					
	HAZARD-DETERMINING COMPONENTS OF LABELLING				
	Ethyl alcohol				
	SIGNAL WORD				
	HAZARD STATEMENTS				
	H225 Highly flammable liquid and vapour.				
	H319 Causes serious eye irritation.				
	PRECAUTIONARY STATEMENTS				
	P210 Keep away from heat/sparks/open flames/hot surfaces.				
	- No smoking.				
	P233 Keep container tightly closed.				
	P242 Use only non-sparking tools.				

(Contd. on page2)



			Thinking date. July 4, 2010	
		_	(Contd. of page1)	
		P280	Wear protective gloves/protective clothing/eye protection/face	
			protection.	
		P303+P3	361+P353	
			IF ON SKIN (or hair): Remove/Take off immediately all contaminated	
		Doo (clothing. Rinse skin with water/shower.	
		P264	Wash hands thoroughly after handling.	
		P305+P3	351+P338	
			IF IN EYES: Rinse cautiously with water for several minutes.	
			Remove contact lenses, if present and easy to do. Continue rinsing.	
		P337+P3		
		P403+P3	If eye irritation persists: Get medical advice/attention.	
		F403+F3		
		P501	Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with	
		F301	local/regional/national/international regulation.	
			iocal/regional/mational/memational regulation.	
2.3	Other hazards	s		
2.0			d vPvB assessment	
	PBT:		Not applicable.	
	vPvB:		Not applicable.	
SECTI	ON 3. Compo	osition/inf	ormation on ingredients	
3.1	Chemical cha	racterizatio	on: Mixtures	
3.2	Description: N	/lixture of s	substances listed below with nonhazardous additions.	
3.3	3 Dangerous components:			
	Ethyl alcohol Cas: 64-17-5 55-60 %			
			EINECS: 200-578-6	
		Flam. Lic	q. 2, H225; Eye Irrit. 2, H319	
3.4	Additional info	ormation: F	or the wording of the listed risk phrases refer to section 2.	
SECTI		<mark>id measur</mark> first sid m		
4.1	Description of			
	Eye contact:		utiously with water for several minutes. Remove contact lenses, if	
	Skin contact	•	and easy to do. If eye irritation persists, get medical advice/attention.	
	Skin contact:		mediately with soap and plenty of water. If on skin, skin irritation, get advice/attention.	
	Ingestion:		advice/attention. outh. Get medical advice/attention.	
	Inhalation:			
	initialalion.		victim to fresh air and keep at rest in a position comfortable for breathing. om concerning breath goes out, call a POISON CENTER or doctor.	
4.2	Most importor		ns and effects, both acute and delayed	
4.2	No further rele	• •	-	
		<u> </u>		
10				
4.3	Indication of a	any immedi	mation available. iate medical attention and special treatment needed mation available.	

(Contd. on page3)



(Contd. of page2)

			(Contd. of page2)
SECTIO	ON 5. Fire-fighting	g measures	
5.1	Extinguishing Medi	a:	
CO ₂ , Dry chemical, Foam			
5.2	-	ising from the substance or mixture:	
	Easily flammable li	0	
	•	ation gasses and fumes may emit.	
5.3	Advice for firefighte		
0.5	•		
	wear fire protective	e cloth and self-contained breathing apparatus, if necessary.	
SECTIO		release measures	
6.1	•	ns, protective equipment and emergency procedures:	
	Avoid contact with	-	
6.2	Environmental Pre	cautions:	
	Send to approved	treatment/disposal company or dispose according to local, sta	ite and federal
	regulations.		
6.3	Methods and mate	rial for containment and cleaning up:	
	Wipe up and disca	rd in a suitable container.	
6.4	Reference to other	section:	
	See Section 7 for in	nformation on safe handling.	
	See Section 8 for in	nformation on personal protection equipment.	
		disposal information.	
SECTIO	ON 7. Handling a	nd storage	
7.1	Precautions for saf		
	Handle in a well ve	•	
		aked flames, sparks and sources of heat. No smoking.	
7.2		storage, including any incompatibilities:	
1.2		ntly closed. Store in a cool, dark and fireproof area.	
	Separated from str		
7.0	•	5	
7.3	Specific end use(s)		
	No lurther relevant	information available	
SECTIO		ontrols/personal protection	
8.1	Control parameters		
	Exposure limits		
	Ethyl alcohol [Cas	-	
	[ACGIH 2007]	1000 ppm as TWA	
	NIOSH REL:	TWA 1000 ppm (1900 mg/m ³)	
	OSHA PEL:	TWA 1000 ppm (1900 mg/m ³)	
	[DFG 2004]	MAK: 500 ppm, 960 mg/m ³ ; Peak limitation category: II (2)	
8.2	Exposure controls:		
	Respiratory Protec	tion:	
		Not required.	
	Skin Protection:	Hand Protection	
			(Contd. on page4)



SAFETY DATA SHEET

	The glove material has	(Contd. of page3) to be impermeable and resistant to the product/ the			
	substance/ the prepara				
	Due to missing tests no recommendation to the glove material can be given				
	_	paration/the chemical mixture.			
		naterial on consideration of the penetration times,			
	rates of diffusion and th	-			
	 Material of gloves 	C			
	-	on of the suitable gloves does not only depend on			
		al, but also on further marks of quality and varies from			
	manufactu	rer to manufacturer. As the product is a preparation			
	of several s	substances, the resistance of the glove material can			
	not be calc	culated in advance and has therefore to be checked application.			
	prior to the				
	 Penetration time of g 				
	The exact I	break through time has to be found out by the			
	manufactu	rer of the protective gloves and has to be observed.			
	 For the permanent contract 	ontact of a maximum of 15 minutes gloves made of			
	the following materia	ls are suitable:			
	Butyl rubbe	er, BR			
	Nitrile rubb	er, NBR			
	Eye Protection: Safety goggles				
SECT 9.1	ION 9. Physical and chemical properties	avapartica			
9.1	Information on basic physical and chemical p Appearance/Odor/Colour:	Slightly milky white liquid with alcohol odor			
	Odour threshold	Not determined.			
	pH	Not determined.			
	Melting point/freezing point	Not determined.			
	Boiling Point:	Not determined.			
	Flash point:	15.8 °C (closed)			
	Evaporation rate	Not determined.			
	Flammability (solid, gas)	Not applicable.			
	Upper/lower flammability or explosive limits	Not determined.			
	Vapour pressure	Not determined.			
	Vapour density	Not determined.			
	Relative Density:	0.93 (water=1)			
	Solubility: water solubility	Soluble			
	Partition coefficient: n-octanol/water	Not determined.			
	Auto-ignition temperature	Not determined.			
	Decomposition temperature	Not determined.			
	Viscosity	Not determined.			
	Explosive properties	Not applicable.			
	Oxidising properties	Not applicable.			
9.2	Other information				



(Contd. of page4)

No further relevant infor	mation available.				(Contd. of page4)
SECTION 10. Stability and rea	ctivity				
10.1 Reactivity: No further relevant infor 10.2 Chemical stability: Stable under normal ten 10.3 Possibility of hazardous No dangerous reactions	mation available. operatures and presonne and pre	ssures.			
10.4 Condition to Avoid: Avoid direct sunlight, ex		nd other so	ource of i	gnition.	
10.5 Incompatible materials: Strong oxidizing materia	le				
10.6 Hazardous Decompositi None under normal cond	on Products:	nd use.			
SECTION 11. Toxicological int					
11.1 Information on toxicolog					
Acute toxicity:	Ethyl alcohol:			/ 3/	
	Inhalation toxici			39 g/m ³ /4H	
		rat	LC50	20000 ppm/10H	1
	Oral toxicity;		LD50	7500 mg/kg	
		rat	LD50	7060 mg/kg	
		rabbit	LD50	6300 mg/kg	
			TDL0	0.5 g/kg	
	Democratication		LDL0	1400 mg/kg	
	Dermal toxicity;		LDL0	20 g/kg	
Skin corrosion/irritation: Eye damage/irritation: Sensitization to the resp	Eye Irrit. 2; H31 iratory tract:	9 Causes	s serious	ification criteria are eye irritation. ification criteria are	
Skin sensitization:		-		ification criteria are	
Germ cell mutagenicity/		solo dulu,		instalion ontona are	
	•	able data	the class	ification criteria are	e not met.
Carcinogenicity:	Ethyl alcohol:				
	•	classifiab	le as a hi	ıman carcinogen.	
ACGIH-A4; Not classifiable as a human carcinogen. [DFG 2004] MAK; Carcinogen category: 5					
Reproductive toxicity:			-	ification criteria are	e not met.
Effects on or via lactatio		,			
Specific target organ to>		ıre):			
		-	the class	ification criteria are	e not met.
Specific target organ to>					
		-	the class	ification criteria are	e not met.
Aspiration hazard:				ification criteria are	
					(Contd. on page6)
L					Version Number 4



(Contd. of page5)

(Conta.	of page5)
SECTION 12. Ecological information	
12.1 Toxicity:	
No further relevant information available.	
12.2 Persistence and degradability:	
No further relevant information available.	
12.3 Bioaccumulative potential:	
No further relevant information available.	
12.4 Mobility in soil:	
No further relevant information available.	
12.5 Results of PBT and vPvB assessment:	
Not applicable.	
12.6 Other adverse effects:	
No further relevant information available.	
SECTION 13. Disposal considerations	
13.1 Waste treatment methods:	
Dispose of contents/container to in accordance with local/regional/national/international	
regulations.	
SECTION 14. Transport information	
14.1 UN number: 1170	
14.2 UN proper shipping name: ETHANOL, solution	
14.3 Transport hazard class(es): 3 Flammable liquids.	
14.4 Packing group: II	
14.5 Environmental hazards: No further relevant information available.	
14.6 Special precautions for user: Warning: Flammable liquids.	
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	
Not applicable.	
SECTION 15. Regulatory information	
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixing	ure:
• EU REGULATIONS: See Section 2	
Other regulations, limitations and prohibitive regulations:	
The product is a medical device according to the EC-directive 93/42/EEC.	
15.2 Chemical safety assessment:	
A Chemical Safety Assessment has not been carried out.	
SECTION 16. Other information	
This product is intended for use by dental professionals. (instrument/material)	
Delevent phrases	
Relevant phrases:	
H225 Highly flammable liquid and vapour.	
H319 Causes serious eye irritation.	
Abbreviations and acronyms:	
	on page7)



SAFETY DATA SHEET

(Contd. of page6)

EINESC: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent TDL0: Lowest Dose causing a toxic effect LDL0: Lowest Dose causing lethality

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative